

AMENDED

Serial No. **60568 T**

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE
STATE OF NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office **OCT 5 1994**Returned to applicant for correction **DEC 21 1994****JAN 24 1995**

Corrected application filed

Map filed **3/15/84** under **47703**The applicant **Carson City****3300 Butti Way Bldg. #9**

Street and No. or P.O. Box No.

of **Carson City**

City or Town

NV 89701

State and Zip Code No.

hereby make application for permission to change the

Point of Diversion

Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under **47705**

Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and

identify right in Decree.

1. The source of water is **Underground**

Name of stream, lake, underground spring or other source.

2. The amount of water to be changed **.226 CFS 163 AFA**

Second feet, acre feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for **Municipal**

Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

4. The water heretofore permitted for **Municipal**

Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

5. The water is to be diverted at the following point **NE1 NW1 Section 7 T 15N R 20E**

Describe as being within a 40-acre subdivision of public survey and by course and

 MDB & M or at a point which bears N 59° 01' W 2302 feet to the Northwest corner

distance to a section corner. If on unsurveyed land, it should be stated.

of said Section 7.

6. The existing permitted point of diversion is located within **SW1 SE1, Section 8, T. 15N.**

If point of diversion is not changed, do not answer.

R. 20E., M.D.B. & M; or at a point which bears S 63° E. A distance of 2400**feet to the Southeast corner of said Section 8.**7. Proposed place of use **See attached**

Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.

See attached

8. Existing place of use

Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or

manner of use of irrigation permit, describe acreage to be removed from irrigation.

9. Use will be from **January 1**

Month and Day

to

December 31

Month and Day

of each year.

10. Use was permitted from **January 1**

Month and Day

to

December 31

Month and Day

of each year.

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) **well and pump**

State manner in which water is to be diverted, i.e. diversion structure,

ditches, pipes and flumes, or drilled well, etc.

12. Estimated cost of works

\$150,000.00

13. Estimated time required to construct works

120 days

14. Estimated time required to complete the application of water to beneficial use.....

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

Municipal use. The drilling & testing of up to 5 exploratory wells within this area, and the drilling of one production well. Please use map on file at the Division of Water Resources under application 47703 to support the existing and proposed place of use.

By s/Charles Welch
3300 Butti Way Bld #9
Carson City, NV 89701

Compared jr/bk jr/bk

Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of an underground source as heretofore granted under Permit 47705 is issued subject to the terms and conditions imposed in said Permit 47705 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire on April 24, 1996 at which time all rights herein granted shall revert to the right being changed by this temporary permit.

(CONTINUED ON PAGE 2)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.226 cubic feet per second, but not to exceed 163.62

acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed.....

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No. Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
 State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 25th day of April

A.D. 19 95

R. Michael Turnipseed, P.E.
 State Engineer

EXPIRED

DATE

4-24-96

(PERMIT TERMS CONTINUED)

The total combined annual duty under this permit and all other underground water rights held by Carson City within the Eagle Valley Ground Water Basin shall not exceed 6607.12 acre-feet annually.

